

L Number	Hits	Search Text	DB	Time stamp
-	1	("5418908").PN.	USPAT; US-PGPUB	2004/08/13 13:11
-	536	render\$4 same print same file	USPAT; US-PGPUB	2004/08/16 15:34
-	180	(render\$4 same print same file) and (render\$4 with application)	USPAT; US-PGPUB	2004/08/17 08:02
-	4	((render\$4 same print same file) and (render\$4 with application)) and (predefin\$3 with format)	USPAT; US-PGPUB	2004/08/16 15:42
-	176	((render\$4 same print same file) and (render\$4 with application)) not (((render\$4 same print same file) and (render\$4 with application)) and (predefin\$3 with format))	USPAT; US-PGPUB	2004/08/17 07:58
-	13	(versatile with product with rendering with engine) or vipre	USPAT; US-PGPUB	2004/08/17 08:02
-	322	render\$4 with document with file	USPAT; US-PGPUB	2004/08/17 08:02
-	180	(render\$4 same print same file) and (render\$4 with application)	USPAT; US-PGPUB	2004/08/17 08:04
-	274	(render\$4 with document with file) not ((render\$4 same print same file) and (render\$4 with application))	USPAT; US-PGPUB	2004/08/17 08:04
-	266	((render\$4 with document with file) not ((render\$4 same print same file) and (render\$4 with application))) and application	USPAT; US-PGPUB	2004/08/17 08:04
-	75	((render\$4 with document with file) not ((render\$4 same print same file) and (render\$4 with application))) and (render\$4 with application)	USPAT; US-PGPUB	2004/08/17 09:09
-	77	(render\$4 with (output near3 file)) and printer	USPAT; US-PGPUB	2004/08/17 10:03
-	55	((render\$4 with (output near3 file)) and printer) and digital	USPAT; US-PGPUB	2004/08/17 10:12
-	540	render\$4 and (identif\$5 with (application or program) with document)	USPAT; US-PGPUB	2004/08/17 11:27
-	95	(render\$4 and (identif\$5 with (application or program) with document)) and (select\$4 with render\$4)	USPAT; US-PGPUB	2004/08/17 11:46
-	27	((render\$4 and (identif\$5 with (application or program) with document)) and (select\$4 with render\$4)) and (automat\$7 with render\$4)	USPAT; US-PGPUB	2004/08/17 11:28
-	20	(render\$4 and (identif\$5 with (application or program) with document)) and (select\$4 with render\$4 with application)	USPAT; US-PGPUB	2004/08/17 11:46
-	17	((render\$4 and (identif\$5 with (application or program) with document)) and (select\$4 with render\$4 with application)) not (((render\$4 and (identif\$5 with (application or program) with document)) and (select\$4 with render\$4)) and (automat\$7 with render\$4))	USPAT; US-PGPUB	2004/08/18 09:14
-	84	identif\$5 with application with generat\$4 with document	USPAT; US-PGPUB	2004/08/18 13:28
-	8	identif\$5 with application with generat\$4 with digital with document	USPAT; US-PGPUB	2004/08/18 13:26
-	76	(identif\$5 with application with generat\$4 with document) not (identif\$5 with application with generat\$4 with digital with document)	USPAT; US-PGPUB	2004/08/18 13:37
-	4	set\$4 with global with print with setting	USPAT; US-PGPUB	2004/08/18 14:03
-	9	global with print with setting	USPAT; US-PGPUB	2004/08/18 14:03
-	5	(global with print with setting) not (set\$4 with global with print with setting)	USPAT; US-PGPUB	2004/08/18 14:04
-	9	((global with setting) same print) not (global with print with setting)	USPAT; US-PGPUB	2004/08/18 14:10

-	4436	global with (setting or command)	USPAT; US-PGPUB	2004/08/18 14:10
-	12	(global with setting) same (associat\$4 with application)	USPAT; US-PGPUB	2004/08/18 14:13
-	25	global with variable with print	USPAT; US-PGPUB	2004/08/18 14:16
-	796	global with variable with process\$4	USPAT; US-PGPUB	2004/08/18 14:17
-	194	set\$4 with global with variable with process\$4	USPAT; US-PGPUB	2004/08/18 14:19
-	9	set\$4 with global with variable with process\$4 with file	USPAT; US-PGPUB	2004/08/18 14:18
-	2	set\$4 with global with variable with process\$4 with document	USPAT; US-PGPUB	2004/08/18 14:19
-	7	(global adj variable) same (set\$4 and rewrit\$4)	USPAT; US-PGPUB	2004/08/18 14:49
-	11	(global adj variable) same set same (rewrit\$4 or overwrit\$4)	USPAT; US-PGPUB	2004/08/18 14:54
-	13	(global with variable) same set same (rewrit\$4 or overwrit\$4)	USPAT; US-PGPUB	2004/08/18 14:54
-	2	((global with variable) same set same (rewrit\$4 or overwrit\$4)) not ((global adj variable) same set same (rewrit\$4 or overwrit\$4))	USPAT; US-PGPUB	2004/08/18 14:54
-	14	((set\$4 with global with application) and render\$4) and (render\$4 same file)	USPAT; US-PGPUB	2004/08/18 14:59
-	365	set adj4 global adj3 (variable or setting)	USPAT; US-PGPUB	2004/08/18 15:02
-	2	(set adj4 global adj3 (variable or setting)) and ((rewrit\$4 or overwrit\$4) adj4 global adj3 (variable or setting))	USPAT; US-PGPUB	2004/08/18 15:00
-	6	((rewrit\$4 or overwrit\$4) adj4 global adj3 (variable or setting))	USPAT; US-PGPUB	2004/08/18 15:01
-	25	(set adj4 global adj3 variable) and (print with file)	USPAT; US-PGPUB	2004/08/18 15:07
-	5	(set adj4 global adj3 variable) and (advantage with global)	USPAT; US-PGPUB	2004/08/18 15:09
-	54	(global with variable) and (set with variable) and ((rewrit\$4 or overwrit\$4) with variable)	USPAT; US-PGPUB	2004/08/18 15:10
-	44	((global with variable) and (set with variable) and ((rewrit\$4 or overwrit\$4) with variable)) and (advantage or benefit)	USPAT; US-PGPUB	2004/08/18 15:10
-	3	((global with variable) and (set with variable) and ((rewrit\$4 or overwrit\$4) with variable)) and (advantage or benefit) and ((advantage or benefit) with variable)	USPAT; US-PGPUB	2004/08/18 15:11
-	32	global with variable with advantage	USPAT; US-PGPUB	2004/08/18 15:18
-	70	global with variable with efficien\$4	USPAT; US-PGPUB	2004/08/18 15:19
-	59	(global with variable with efficien\$4) not (global with variable with advantage)	USPAT; US-PGPUB	2004/08/18 15:19
-	0	((global with variable with efficien\$4) not (global with variable with advantage)) and (set with variable) and ((rewrit\$4 or overwrit\$4) with variable)	USPAT; US-PGPUB	2004/08/18 15:19
-	31	((global with variable with efficien\$4) not (global with variable with advantage)) and (set with variable)	USPAT; US-PGPUB	2004/08/18 15:26
-	1449	generat\$4 with instance with application	USPAT; US-PGPUB	2004/08/18 15:44
-	9	generat\$4 with instance with application with render\$4	USPAT; US-PGPUB	2004/08/18 15:42
-	11	generat\$4 with instance with application with file with process\$4	USPAT; US-PGPUB	2004/08/18 15:41
-	72	(generat\$4 with instance with select\$5 with application) not (generat\$4 with instance with application with file with process\$4)	USPAT; US-PGPUB	2004/08/18 15:44

-	71	((generat\$4 with instance with select\$5 with application) not (generat\$4 with instance with application with file with process\$4)) not (generat\$4 with instance with application with render\$4)	USPAT; US-PGPUB	2004/08/18 15:44
-	3	((((generat\$4 with instance with select\$5 with application) not (generat\$4 with instance with application with file with process\$4)) not (generat\$4 with instance with application with render\$4)) and (synchroniz\$4 with instance)	USPAT; US-PGPUB	2004/08/18 15:57
-	1390	(global with (setting or variable)) and ((initialize or set) with (global with (variable or setting)))	USPAT; US-PGPUB	2004/08/18 16:14
-	9	(global with (setting or variable)) and ((initialize or set) with ((global with (variable or setting)) with associat\$4 with (application or program)))	USPAT; US-PGPUB	2004/08/18 16:18
-	37	(set with global with variable) and ((replac\$4 or overrid\$4 or overwrit\$4 or rewr\$4) with global with variable)	USPAT; US-PGPUB	2004/08/18 16:20
-	28	((set with global with variable) and ((replac\$4 or overrid\$4 or overwrit\$4 or rewr\$4) with global with variable)) and advantag\$4	USPAT; US-PGPUB	2004/08/18 16:33
-	9	generat\$4 with instance with render\$4 with application	USPAT; US-PGPUB	2004/08/18 16:33
-	5	(generat\$4 adj6 instance adj6 application) with automatic\$6	USPAT; US-PGPUB	2004/08/18 16:34
-	17	(generat\$4 adj6 instance adj6 application) and synchroniz\$6	USPAT; US-PGPUB	2004/08/18 16:46
-	82	(generat\$4 adj6 instance adj6 application) not ((generat\$4 adj6 instance adj6 application) and synchroniz\$6)	USPAT; US-PGPUB	2004/08/18 16:53
-	3	((generat\$4 adj6 instance adj6 application) not ((generat\$4 adj6 instance adj6 application) and synchroniz\$6)) same advantage	USPAT; US-PGPUB	2004/08/18 16:53
-	79	((generat\$4 adj6 instance adj6 application) not ((generat\$4 adj6 instance adj6 application) and synchroniz\$6)) not (((generat\$4 adj6 instance adj6 application) not ((generat\$4 adj6 instance adj6 application) and synchroniz\$6)) same advantage)	USPAT; US-PGPUB	2004/08/18 16:53
-	2	(microsoft adj3 word) and (new with instance with word)	USPAT; US-PGPUB	2004/08/19 07:59
-	236	(microsoft adj3 word) and (new with instance)	USPAT; US-PGPUB	2004/08/19 07:59
-	21	(microsoft adj3 word) and (new with instance with application)	USPAT; US-PGPUB	2004/08/19 07:59
-	20	((microsoft adj3 word) and (new with instance with application)) not ((microsoft adj3 word) and (new with instance with word))	USPAT; US-PGPUB	2004/08/19 07:59
-	6	queue with print with operation with application	USPAT; US-PGPUB	2004/08/19 09:25
-	8	queue with print with synchroniz\$5	USPAT; US-PGPUB	2004/08/19 09:29
-	35	queue with render\$4 with synchroniz\$5	USPAT; US-PGPUB	2004/08/19 09:29
-	361	synchroniz\$5 with instance with operation	USPAT; US-PGPUB	2004/08/19 10:03
-	2	synchroniz\$5 with instance with operation with render\$4	USPAT; US-PGPUB	2004/08/19 09:59
-	4	synchroniz\$5 with instance with operation with print\$4	USPAT; US-PGPUB	2004/08/19 09:59
-	7	synchroniz\$5 with instance with operation with application	USPAT; US-PGPUB	2004/08/19 10:07
-	2	queue\$5 with instance with operation with application	USPAT; US-PGPUB	2004/08/19 10:11

-	3	queue\$5 with instance with operation with application	USPAT; US-PGPUB	2004/08/19 10:13
-	3	queue\$5 with instance with print\$4 with application	USPAT; US-PGPUB	2004/08/19 10:13
-	3	(queue\$5 with instance with print\$4 with application) not (queue\$5 with instance with operation with application)	USPAT; US-PGPUB	2004/08/19 10:16
-	251	synchroniz\$5 with initiation with operation	USPAT; US-PGPUB	2004/08/19 10:19
-	6	synchroniz\$5 with initiation with operation with application	USPAT; US-PGPUB	2004/08/19 10:17
-	3	synchroniz\$5 with initiation with operation with print	USPAT; US-PGPUB	2004/08/19 10:18
-	46	synchroniz\$5 adj8 initiation adj8 operation	USPAT; US-PGPUB	2004/08/19 10:20
-	44	(synchroniz\$5 adj8 initiation adj8 operation) not (synchroniz\$5 with initiation with operation with print) not (synchroniz\$5 with initiation with operation with application) not (synchroniz\$5 with initiation with operation with instance)	USPAT; US-PGPUB	2004/08/19 10:23
-	307	(queue or stack) with synchroniz\$5 with operation	USPAT; US-PGPUB	2004/08/19 10:23
-	4	(queue or stack) with synchroniz\$5 with operation with (instance or application)	USPAT; US-PGPUB	2004/08/19 10:24
-	5	(queue or stack) with synchroniz\$5 with operation with print\$4	USPAT; US-PGPUB	2004/08/19 10:25
-	21	synchroniz\$5 with print\$4 with initiation	USPAT; US-PGPUB	2004/08/19 10:42
-	260	synchroniz\$5 with print\$4 with operations	USPAT; US-PGPUB	2004/08/19 10:48
-	2	(synchroniz\$5 with print\$4 with operations) and (advantage same synchroniz\$4)	USPAT; US-PGPUB	2004/08/19 10:44
-	72	(synchroniz\$5 with print\$4 with operations) and advantage	USPAT; US-PGPUB	2004/08/19 10:45
-	57	synchroniz\$5 with render\$4 with operations	USPAT; US-PGPUB	2004/08/19 10:51
-	3	synchroniz\$5 adj8 render\$4 adj8 operations	USPAT; US-PGPUB	2004/08/19 10:51
-	75	queue with (print\$4 or render\$4) with operations	USPAT; US-PGPUB	2004/08/19 10:52
-	16	queue adj8 (print\$4 or render\$4) adj8 operations	USPAT; US-PGPUB	2004/08/19 12:35
-	9	queue with ((process\$4) adj8 operations) with application	USPAT; US-PGPUB	2004/08/19 12:39
-	2	(queue with ((processing) adj4 operations)) same synchroniz\$5	USPAT; US-PGPUB	2004/08/19 12:43
-	83	(queue with ((processing) adj4 operations)) not ((queue with ((processing) adj4 operations)) same synchroniz\$5)	USPAT; US-PGPUB	2004/08/19 12:43
-	25	((queue with ((processing) adj4 operations)) not ((queue with ((processing) adj4 operations)) same synchroniz\$5)) and synchroniz\$5	USPAT; US-PGPUB	2004/08/19 12:43
-	5	queue with (render\$4 adj4 requests)	USPAT; US-PGPUB	2004/08/19 12:47
-	12	synchroniz\$5 with (render\$4 adj4 commands)	USPAT; US-PGPUB	2004/08/19 12:51
-	496	(set or initialize) adj5 (global adj3 (setting or variable))	USPAT; US-PGPUB	2004/08/19 13:09
-	4	((set or initialize) adj5 (global adj3 (setting or variable))) and ((rewrit\$4 or overwrit\$4) adj5 (global adj3 (setting or variable)))	USPAT; US-PGPUB	2004/08/19 13:11
-	8	((rewrit\$4 or overwrit\$4) adj5 (global adj3 (setting or variable)))	USPAT; US-PGPUB	2004/08/19 13:09

-	4	(((rewrit\$4 or overwrit\$4) adj5 (global adj3 (setting or variable)))) not (((set or initialize) adj5 (global adj3 (setting or variable))) and ((rewrit\$4 or overwrit\$4) adj5 (global adj3 (setting or variable))))	USPAT; US-PGPUB	2004/08/19 13:09
-	123	(set or initialize) adj5 (global adj3 flag)	USPAT; US-PGPUB	2004/08/19 13:11
-	31	((set or initialize) adj5 (global adj3 flag)) and (rewrit\$4 or overwrit\$4)	USPAT; US-PGPUB	2004/08/19 13:12
-	32	advantage with global with variable	USPAT; US-PGPUB	2004/08/19 13:19

L Number	Hits	Search Text	DB	Time stamp
-	420	(715/526).CCLS.	USPAT; US-PGPUB	2004/08/13 12:16
-	4567	(709/203).CCLS.	USPAT; US-PGPUB	2004/08/16 14:36
-	3001	(709/223).CCLS.	USPAT; US-PGPUB	2004/08/19 13:59